

CASTING	AWS Classification	Honavar Equivalent
WCB	E 7018	Ultimate 18
LCB/LCC	E 7018 – 1	Ultimate 18 Spl
WC-1 / LC2	E 7018 – A1	Ultimate 18 A1
WC-4 / WC-5	E 10016 – 16	Ultimate 105 H
WC-6	E 8018 – B2	Ultimate 80 B2
WC-9	E 9018 – B3	Ultimate 90 B3
C-5	E 8018 – B6	Cromomate 5
C-12	E 8018 – B8	Cromomate 9
CA6NM	E 410 – NiMo – 16	DE 134
CF8	E 308 -16	Silvershine 308
CF3	E 308L – 16	Silvershine 308L
CF8M	E 316 – 16	Silvershine 316
CF3M	E 316L – 16	Silvershine 316L
CG12	E 309 Mo – 16	Silvershine 309 MoL
CK20 / CE30	E 310 – 16	Silvershine 310
CF8C	E 347 – 16	Silvershine 347
CN7M / AL-20	E 320 – 15	Silvershine 320
4A (CD3MN)	E 2209 – 16	Silvershine 4462
5A (CE3MN)	E 2594 – 16	Silvershine 4470
6A (CE3MN)	E 2595 – 16	Silvershine 4475
CD4McuN / CD4Mcu	E 2553 – 16	Silvershine 4466
CK3McuN / SMO254	E 254 – 16	Silvershine 254
Monel K400	E NiCuB	Monelweld
M-35-1 / M-35-2	E NiCu7	DE 1650
HSTC	E NiCrMo – 5	DE 1600
CZ-100	E Ni – 1	DE 1640
Cu5MCuC / CW6MC	E NiCrMo – 3	Cryomate 5
CB7Cu1	E 630 – 16	Silvershine 630
A-487-4B	E 11018M	Ultimate 110 H
C12A	E 9016–B9/ E 9015–B9	Cromomate 91